In the Claims:

Claims 11, 12, 13, 14, 15, 16, are amended. Pending claims 1-16 follow.

1. (Original) A two-component dental bleaching system wherein the components are adapted to be admixed and applied to the teeth from a dental tray for sustained contact, said system comprising:

as a first component, a dental peroxide gel comprising both carbamide peroxide and hydrogen peroxide; and

as a second component, an orally compatible activator gel wherein said activator gel includes a base to increase its pH.

- 2. (Original) The dental bleaching system according to claim 1, wherein the first component includes hydroxypropyl cellulose.
- 3. (Original) The dental bleaching system according to claim 1, wherein the first component comprises carbamide peroxide at a weight percentage of at least about 10%, based on the total weight of said first component.
- 4. (Original) The dental bleaching system according to claim 1, wherein the first component comprises hydrogen peroxide at a weight percentage of at least about 0.5%, based on the total weight of the first component.
- 5. (Original) The dental bleaching system according to claim 1, wherein the first component comprises hydrogen peroxide at a weight percentage of at least about 5%, based on the total weight of the first component.
- 6. (Original) The dental bleaching system according to claim 1, wherein the first component comprises carbamide peroxide at a weight percentage of at least about

16% and hydrogen peroxide at a weight percentage of at least about 1.5%, based on the total weight of the first component.

- 7. (Original) The dental bleaching system according to claim 1, wherein the first component comprises carbamide peroxide at a weight percentage from about 10% to about 25% and hydrogen peroxide at a weight percentage from about 0.5% to about 10%, based on the total weight of the first component.
- 8. (Original) The dental bleaching system according to claim 1, wherein the first component comprises carbamide peroxide at about 16% by weight and hydrogen peroxide at about 1.3% by weight, based on the total weight of the first component.
- 9. (Original) The dental bleaching system according to claim 1, wherein the first component comprises carbamide peroxide at about 16% by weight and hydrogen peroxide at about 6% by weight, based on the total weight of the composition.
- 10. (Original) The dental bleaching system according to claim 1, wherein the first component comprises carbamide peroxide at a weight percentage of about 16% and hydrogen peroxide at a weight percentage of about 10%, based on the total weight of the composition.
- 11. (Currently Amended) The dental bleaching system according to claim 1, wherein the activator gel additionally comprises sodium fluoride and potassium nitrate.
- 12. (Currently Amended) The dental bleaching system according to claim 1, wherein the activator gel <u>additionally</u> comprises potassium nitrate and tetrapotassium pyrophosphate.

(Currently Amended) The dental bleaching system according to claim 1 13. wherein the activator gel comprises:

| Propylene Glycol | 33.000% |
|----------------------------------|---------|
| Klucel GFhydroxypropyl cullulose | 1.980% |
| Propylene Glycol USP | 16.970% |
| Glycerin , USP | 38.100% |
| Peppermint PE-07274Flavor | 0.200% |
| Natural Peppermint | 0.400% |
| Oil PE 05523 | |
| DI Water | 0.500% |
| Potassium Hydroxide | 0.300% |
| Sodium Fluoride | 0.350% |
| Cab-O-Sil EH-5Fumed Silica | 8.200% |

(Currently Amended) The dental bleaching system according to claim 1 14. wherein the activator gel comprises:

33.000%

| Propylene Glycol/ | 33.000% |
|---|---------|
| Klucel GF premixHydroxypropyl Cellulose | 1.980% |
| Propylene Glycol -USP | 12.576% |
| Glycerin , USP | 40.000% |
| Peppermint PE-07274Flavor | 0.200% |
| Natural Peppermint | 0.400% |
| Oil PE-05523 | |
| Cab O-Sil EH-5 Fumed Silica | 11.000% |
| Potassium Hydroxide | 0.300% |
| DI Water | 0.544% |

(Currently Amended) The dental bleaching system according to claim 1 15. wherein the activator gel comprises:

| 33.000% |
|---------|
| 1.980% |
| 7.767% |
| 32.753% |
| 0.600% |
| 5.600% |
| 5.400% |
| 0.300% |
| 12.600% |
| |

16. (Currently Amended) The dental bleaching system according to claim 1 wherein the activator gel comprises:

| Propylene Glycol/ | 33.000% |
|---|---------|
| Klucel GF premixHydroxypropyl Cellulose | 1.980% |
| Propylene Glycol -USP | 7.767% |
| Glycerin, USP | 32.753% |
| Peppermint PE-07274 | 0.200% |
| Natural Peppermint | 0.400% |
| Oil PE 05523 | |
| Cab-O-Sil EH-5Fumed Silica | 5.600% |
| Potassium Nitrate FCC | 5.400% |
| Potassium Hydroxide | 0.300% |
| DI Water | 12.600% |